

## Acetaminophen (Tylenol) Dosing for Infants and Children

May be given every 4 to 6 hours; maximum 5 times in 24 hours

WARNING: Infant Drops must use the dropper provided to avoid risk of OVERDOSE

| Weight<br>(pounds) | Weight<br>(kg) | Dose<br>(mg) | OLD Infant<br>Concentrated<br>(80 mg/0.8ml) | NEW Infant<br>Suspension<br>(160mg/5ml) | Children's<br>Suspension<br>(160 mg/5ml) | Children's<br>Tablets | Jr. Strength<br>Tablets<br>(160 mg each) | Adult<br>(325 mg<br>each) |
|--------------------|----------------|--------------|---|---|--|-----------------------|--|---------------------------|
| 6 to 12 lbs        | 3 to 5 kg      | 40 mg        | 0.4 ml                                      | 1.25ml                                  | 1.25ml                                   |                       |  |                           |
| 12 to 18 lbs       | 5 to 8 kg      | 80 mg        | 0.8 ml                                      | 2.50 ml                                 | 2.50 ml                                  |                       |  |                           |
| 18 to 24 lbs       | 8 to 11 kg     | 120 mg       | 1.2 ml                                      | 3.75 ml                                 | 3.75 ml                                  |                       |  |                           |
| 24 to 36 lbs       | 11 to16 kg     | 160 mg       | 1.6 ml                                      | 5.0 ml                                  | 5.0 ml                                   | 2 tablets             | 1 tablet                                 |                           |
| 36 to 48 lbs       | 16 to 22 kg    | 240 mg       | 2.4 ml                                      | 7.5 ml                                  | 7.5 ml                                   | 3 tablets             | 1-1/2 tablets                            |                           |
| 48 to 60 lbs       | 22 to 27 kg    | 320 mg       |   |   | 10.0 ml                                  | 4 tablets             | 2 tablets                                |                           |
| 60 to 72 lbs       | 27 to 33 kg    | 400 mg       |   |   | 12.5 ml                                  | 5 tablets             | 2-1/2 tablets                            |                           |
| 72 to 95 lbs       | 33 to 43 kg    | 480 mg       |   |   | 15.0 ml                                  | 6 tablets             | 3 tablets                                |                           |
| 95-150 lbs         | 43 to 68 kg    | 640 mg       |   |   | 20.0 ml                                  | 8 tablets             | 4 tablets                                | 2                         |
| Over 150 lbs       | Over 68 kg     | 960 mg       |   |   |  | 12 tablets            | 6 tablets                                | 3                         |

## Ibuprofen (Motrin or Advil) Dosing for Infants and Children

May be given every 6 to 8 hours; maximum of 4 times in 24 hours.

Not recommended for infants under 12 lbs/(6 kg) or those under 6 months of age

OR people with dehydration

WARNING: Infant Drops must use the dropper provided to avoid risk of OVERDOSE

| With the mild brops indet doe the dropper provided to dvoid hat or overtbook |                |              |                                   |  |  |  |                        |  |  |  |  |  |
|--|----------------|--------------|-----------------------------------|--|--|--|------------------------|--|--|--|--|--|
| Weight<br>(pounds)   | Weight<br>(kg) | Dose<br>(mg) | Infant<br>Drops<br>(50 mg/1.25ml) | Children's<br>Suspension<br>(100 mg/5ml) | Children's<br>Chewables<br>(50mg each) | Jr. Strength<br>Tablets<br>(100 mg each) | Adult<br>(200 mg each) |  |  |  |  |  |
| 11 to 16 lbs   | 5 to 7 kg      | 50 mg        | 1.25 ml                           | 2.50 ml                                  |  |  |                        |  |  |  |  |  |
| 16 to 22 lbs   | 7 to 10 kg     | 75 mg        | 1.875 ml                          | 3.75 ml                                  |  |  |                        |  |  |  |  |  |
| 22 to 28 lbs   | 10 to 13 kg    | 100 mg       | 2.50 ml                           | 5.0 ml                                   | 2 tablets                              | 1 tablet                                 |                        |  |  |  |  |  |
| 28 to 33 lbs   | 13 to 15 kg    | 125 mg       |                                   | 6.25 ml                                  | 2 1/2 tablets                          | 1-1/2 tablets                            |                        |  |  |  |  |  |
| 33 to 44 lbs   | 15 to 20 kg    | 150 mg       |                                   | 7.5 ml                                   | 3 tablets                              | 2 tablets                                |                        |  |  |  |  |  |
| 44 to 88 lbs   | 20 to 40 kg    | 200 mg       |                                   | 10.0 ml                                  | 4 tablets                              | 2-1/2 tablets                            | 1                      |  |  |  |  |  |
| 88 to 130 lbs  | 20 to 59 kg    | 400 mg       |                                   | 20.0 ml                                  | 8 tablets                              | 3 tablets                                | 2                      |  |  |  |  |  |
| Over 130 lbs   | Over 59 kg     | 400 mg       |                                   | 20.0 ml                                  | 8 tablets                              | 4 tablets                                | 2                      |  |  |  |  |  |